Predictors of Food Skills in University Students

JAMIE A. SEABROOK, PhD^{a,b,c}; PAULA D.N. DWORATZEK, PhD, RD, PHEc^{a,d}; JUNE I. MATTHEWS, PhD, RD, PHEc^a

^aSchool of Food and Nutritional Sciences, Brescia University College, London, ON; ^bDepartments of Paediatrics and Epidemiology and Biostatistics, Western University, London, ON; ^cChildren's Health Research Institute, London, ON; ^dSchulich Interfaculty Program in Public Health, Western University, London, ON

ABSTRACT

Purpose: To determine predictors of food skills in university students, specifically, the relative effects of a food and nutrition (FN) course; sex, age, and body mass index; food-related behaviours in the parental home; and food-related behaviours in university.

Methods: Undergraduate students (n = 30 310) at Western University were invited to complete an online cross-sectional survey that assessed 7 components of food skills, from mechanical (e.g., peeling/chopping) to conceptual (e.g., weekly meal planning). The primary outcome measure was Total Food Skills Score (TFSS). All variables that were statistically associated with TFSS (P < 0.05) were analyzed hierarchically in 4 regression models.

Results: The sample was comprised of 3354 students living independently for 2.6 ± 1.1 years. Students who had taken an FN course had higher food skills than those who had not (B = 30.72; P < 0.001), and this relationship remained significant through all subsequent models. The strongest predictor of food skills was meal preparation as a teen (B = 25.66; P < 0.001). Frequency of using a grocery list, packing a lunch, and time spent preparing meals on weekends were positively associated with food skills (P < 0.001), whereas frequency of buying pre-prepared meals was negatively associated with food skills (P < 0.001).

Conclusions: Food skill development should occur well before young adults begin living independently.

(Can J Diet Pract Res. 2019;80:205–208) (DOI: 10.3148/cjdpr-2019-011) Published at dcjournal.ca on 8 May 2019

RÉSUMÉ

Objectif. Déterminer les prédicteurs des compétences alimentaires chez les étudiants universitaires, en particulier les effets relatifs d'un cours sur l'alimentation et la nutrition (AN); le sexe, l'âge et l'indice de masse corporelle; les comportements à l'égard des aliments au domicile des parents; et ceux adoptés à l'université.

Méthodes. Des étudiants du premier cycle (n = 30 310) de l'Université Western ont été invités à participer à une enquête transversale en ligne qui évaluait 7 composantes des compétences alimentaires, des compétences mécaniques (p. ex., peler/hacher) aux compétences conceptuelles (p. ex., planification hebdomadaire des repas). Le score total des compétences alimentaires (STCA) était la principale mesure de résultat. Toutes les variables statistiquement associées au STCA (P < 0, 05) ont été analysées de façon hiérarchique dans 4 modèles de régression.

Résultats. L'échantillon était composé de 3 354 étudiants vivant de façon autonome depuis 2,6 ± 1,1 ans. Les élèves qui avaient suivi un cours sur l'AN avaient de meilleures compétences alimentaires que les autres (B = 30,72; P < 0,001), et cette relation est demeurée significative dans tous les modèles subséquents. Le plus fort prédicteur de compétences alimentaires était la préparation des repas à l'adolescence (B = 25,66; P < 0,001). La fréquence d'utilisation d'une liste d'épicerie ou d'une boîte à lunch et le temps consacré à la préparation des repas la fin de semaine étaient associés positivement aux compétences alimentaires (P < 0,001), tandis que la fréquence d'achat de repas préparés était associée négativement aux compétences alimentaires (P < 0,001).

Conclusions. Le développement des aptitudes alimentaires devrait avoir lieu bien avant que les jeunes adultes commencent à vivre de façon autonome.

(Rev can prat rech diétét. 2019;80:205-208) (DOI: 10.3148/cjdpr-2019-011) Publié au dcjournal.ca le 8 mai 2019

INTRODUCTION

The processes involved in personal food production (e.g., planning, budgeting, shopping, preparing, storing, and cleaning up) can be overwhelming for university students with little experience in completing these tasks [1]. Indeed, many prepare meals less than once per week [2]. Small qualitative studies have found that minimal hands-on food participation while growing up may contribute to this situation [3], and that few students get into the habit of checking current food stocks, making shopping lists, and grocery shopping [4]. This is unfortunate, as the use of a grocery list has been associated with a healthier diet and lower body mass index (BMI) [5] and higher consumption of fruits and vegetables [6].

Having a parent who modelled food preparation was a motivator for some university students to engage in home food preparation [7]. Practicing food-related skills as a teenager has also been associated with self-reported cooking skills as an adult [8]. Furthermore, university students who have taken a food and nutrition (FN) course were significantly more likely to report increased self-efficacy for food skills [2] and higher intentions toward, and greater confidence in, eating healthfully, especially when under stress [9]. The objective of this large, cross-sectional survey was to determine the predictors of food skills in university students while simultaneously including the relative effects of FN education and student characteristics as well as food-related behaviours in the parental home and in university.

METHODS

All undergraduate students at Western University ($n = 30\ 310$) in London, Canada, were invited to complete an original online survey that assessed self-reported FN knowledge, skills,

Characteristics	Percentage	Mean (SD)
Age (y)	_	20.7 (1.8)
Female	73.8	_
BMI (kg/m ²)	—	22.8 (4.0)
Took an FN course	36.6	_
Parental meal preparation $\ge 4X$ per week	83.2	—
Teen meal preparation \ge 4X per week	31.4	_
Living away from parental home, years	—	2.6 (1.1)
Primary grocery shopper	80.8	_
Grocery shopping ≥ 1X per week	67.5	—
Writes grocery list most/all of the time	57.3	_
Time spent preparing meals/day, weekdays (min)	—	38.8 (23.5)
Time spent preparing meals/day, weekends (min)	—	51.9 (27.5)
Packs a lunch ≥ 3X per week	54.4	—
Buys pre-prepared meals ≥ 4X per week	20.5	—
Total food skill score, out of 700	—	500.2 (132.7)
Note: BMI, body mass index; FN, food and nutrition; SD, standard deviatio	n.	

Table 1. Sample characteristics.

intentions, and behaviours [9]; all are well-known aspects of Social Cognitive Theory [10]. Students were invited to participate in a draw for 1 of 6 \$100 gift cards. The Non-Medical Research Ethics Board at Western University approved the study.

The survey consisted of 67 items, 7 of which explored food skills that are relevant for young adults (Supplementary Table 1¹). Students rated their food skills on a scale from 0 to 100, with higher scores indicating higher proficiency. A Total Food Skills Score (TFSS) was obtained for each respondent, with a maximum score of 700. Earlier results reported food skills by sub-groups, without determining which factors were the greatest predictors [2]. The current study examined how much variance in food skills was uniquely associated with selected predictor variables (Supplementary Table 2¹).

Data were analyzed using IBM SPSS Statistics, version 23.0 (IBM Corp., Armonk, NY, 2012). Continuous variables were described as means and standard deviations; percentages summarized categorical variables. All variables that had a statistically significant relationship with TFSS (P < 0.05) were entered in a multiple regression model with TFSS as the outcome variable. BMI was not associated with TFSS and was not included in the regression analyses. The predictor variables were conceptualized and analyzed hierarchically in regression models.

RESULTS

In total, 6638 undergraduate students completed the survey (response rate: 22%). Once students living in residence or with parents/family were excluded, the sample consisted of 3354 students who had been living independently for 2.6 ± 1.1 years (Table 1).

In Model 1, students who had taken an FN course had significantly higher food skills than those who had not (P < 0.001), and this relationship remained statistically significant throughout all models (Table 2). The results indicated that the predicted TFSS of university students who had taken an FN course would be 30.72 points (out of 700) higher than the TFSS of students who had not. Only 1% of the variance in food skills was explained by an FN course alone.

In Model 2, age was positively associated with food skills (P < 0.001), and males reported significantly lower food skills than females (P < 0.001). The standardized β for age (0.18) revealed that age had a larger relative influence on food skills than sex or FN course and, collectively, these 3 variables explained 5% of the variance in food skills.

When the parental home was considered in Model 3, age, FN course, and female sex remained positively associated with food skills. Parental meal preparation, teen meal preparation, and years away from the parental home were also positively associated with food skills. Preparation of meals as a teenager was the strongest predictor of food skills. Model 3 explained 9% of the variability in food skills.

In Model 4, food skills were positively correlated with a student being the primary grocery shopper, grocery shopping frequency, grocery list frequency, weekday and weekend meal preparation, and frequency of packing a lunch (P < 0.001). Frequency of buying pre-prepared meals was negatively associated with food skills (P < 0.001). Age remained positively related to food skills (P < 0.05), although its relative

¹Supplementary data are available with the article through the journal Web site at https://dcjournal.ca/doi/suppl/10.3148/cjdpr-2019-011.

	Model 1 (n = 3274)		Model 2 (n = 3256)		Model 3 (n = 2678)		Model 4 (n = 2610)	
Characteristics ^a	В	β	В	β	В	β	В	β
Took an FN course	30.72***	0.11	25.53***	0.09	23.83***	0.09	21.02***	0.08
Male	—	—	-30.72***	-0.10	-27.84***	-0.09	-14.96**	-0.05
Age	—		13.30***	0.18	6.49**	0.07	4.18*	0.04
Parental meal preparation	—	—	—	—	43.89***	0.14	37.71***	0.12
Teen meal preparation	—		—	—	32.92***	0.19	25.66***	0.15
Years living away from parental home	—	—	—	—	5.20*	0.04	4.55	0.04
Primary grocery shopper	—		—	—	—	—	26.24***	0.08
Grocery shopping frequency	—	_	—	—	—	—	24.78***	0.11
Grocery list frequency	—	—	—	—	—	—	16.24***	0.13
Time spent preparing meals/day (weekdays)	—	_	—	—	—	—	0.43***	0.08
Time spent preparing meals/day (weekends)	_	_	_	—	—	—	0.63***	0.13
Lunch packing frequency	—	—	—	—	—	—	22.51***	0.13
Frequency of buying pre-prepared meals	—		—	—	—	—	-16.87***	-0.13
Constant ^b	458.32		228.62		158.37		21.81	
Adjusted R ^{2c}	0.01		0.05		0.09		0.24	÷

Table 2. Multiple regressions assessing the relative effects of various characteristics on university students' food skills.

Note: Model 1, took a Food and Nutrition (FN) course; Model 2, Model 1 plus student characteristics (sex and age); Model 3, Models 1-2 plus food-related behaviours in the parental home (parental meal preparation, teen meal preparation, and years living away from parental home); Model 4, Models 1-3 plus students' food-related behaviours while at university (primary grocery shopper, grocery shopping frequency, grocery list frequency, time spent preparing meals/day on weekday and weekends, lunch packing frequency, and frequency of buying pre-prepared meals); B, the unstandardized beta coefficient that represents the amount of change in the outcome variable for a one-unit change in the predictor variable.

^aBMI was not associated with Total Food Skills Score (TFSS) in a bivariate analysis and was not included in the models

^bConstant (y-intercept): the expected mean value of TFSS when all predictor variables equal zero.

^cAdjusted \hat{R}^2 : the proportion of variance in TFSS that is explained by the predictor variables, taking into account the number of variables in the model.

contribution was much lower than in Model 2. Meal preparation as a teenager was the best predictor of food skills (standardized $\beta = 0.15$; P < 0.001). Model 4 explained 24% of the variance in food skills.

DISCUSSION

This is the largest study showing the strongest single predictor of food skills in young adults is meal preparation as a teenager. This confirms others' conclusions about the importance of learning cooking/food skills early [8, 11]. Similarly, university students who participated regularly in food-related activities in their parental home described themselves as having a high level of food literacy [3, 7].

Another important finding was that having taken an FN course remained a significant predictor of students' TFSS across all 4 regression models, suggesting that FN education should occur well before young adults begin living independently [12–16]. Our finding of females having higher food skills than males is also consistent with previous research [11, 17].

Two strengths of this study were the large sample size and the incorporation of several predictors of food skills into hierarchical regression models, which allows determination of the relative importance of predictor variables simultaneously. A limitation is the sample included a higher percentage of females (73.8%) than was representative of the student population (i.e., 55% female) [18]. The cross-sectional design prevented determination of causal mechanisms. Recall bias may also be a limitation.

RELEVANCE TO PRACTICE

While there are many stressors associated with university life, the lack of basic skills for activities of daily living should not be one of them; hence, the value of meal preparation as a teen and FN education cannot be overstated.

Acknowledgements

The authors wish to thank Huma Rana, MPH, RD, for preliminary analyses of these data, the results of which were presented at the National Conference for Dietitians of Canada, 8–11 June 2016.

Financial support: This research was funded by a research grant (#05-2011) from Brescia University College.

Conflict of interest: The authors declare that they have no competing interests.

References

Murray DW, Mahadevan M, Gatto K, O'Connor K, Fissinger A, Bailey D, et al. Culinary efficacy: an exploratory study of skills, confidence, and healthy cooking competencies among university students. Perspect Public Health. 2016 May;136(3):143–151. PMID: 26337066. doi: 10. 1177/1757913915600195.

- 2. Wilson CK, Matthews JI, Seabrook JA, Dworatzek PDN. Self-reported food skills of university students. Appetite. 2017;108:270-276. PMID: 27742236. doi: 10.1016/j.appet.2016.10.011.
- 3. Colatruglio S, Slater J. Challenges to acquiring and using food literacy: perspectives of young Canadian adults. Can. Food Stud. 2016;3(1):96-118. doi: 10.15353/cfs-rcea.v3i1.72.
- 4. Blichfeldt BS, Gram M. Lost in transition? Student food consumption. Higher Educ. 2013 Mar;65(3):277-289. doi: 10.1007/s10734-012-9543-2.
- 5. Dubowitz T, Cohen DA, Huang CY, Beckman RA, Collins RL. Using a grocery list is associated with a healthier diet and lower BMI among very high-risk adults. J Nutr Educ Behav. 2015 May-June;47(3):259-264.e1. PMID: 25959448. doi: 10.1016/j.jneb.2015.01.005.
- 6. Health Canada. A look at food skills in Canada. Catalogue No. H164-188/ 2015E-PDF; 2015 [cited 2019 Feb 1]. Available from: http://publications. gc.ca/site/eng/9.801502/publication.html.
- 7. De Backer CJS. Family meal traditions: comparing reported childhood food habits to current food habits among university students. Appetite. 2013 Oct;69:64-70. PMID: 23707416. doi: 10.1016/j.appet.2013.05.013.
- 8. Lavelle F, Spence M, Hollywood L, McGowan L, Surgenor D, McCloat A, et al. Learning cooking skills at different ages: a cross-sectional study. Int J Behav Nutr Phys Act. 2016 Nov;13(1):119. PMID: 27842556. doi: 10.1186/ s12966-016-0446-y.
- 9. Matthews J, Doerr L, Dworatzek PDN. University students intend to eat better but lack coping self-efficacy and knowledge of dietary recommendations. J Nutr Educ Behav. 2016;48(1):12-19.e1. PMID: 26424531. doi: 10.1016/j.jneb.2015.08.005.
- 10. Bandura A. Social foundations of thought and action: a social cognitive theory. Englewood Cliffs, NJ: Prentice-Hall; 1986.

- 11. Larson NI, Story M, Eisenberg ME, Neumark-Sztainer D. Food preparation and purchasing roles among adolescents: associations with sociodemographic characteristics and diet quality. J Am Diet Assoc. 2006 Feb;106(2):211-218. PMID: 16442868. doi: 10.1016/j.jada.2005.10.029.
- World Health Organization. Report of the commission on ending child-12. hood obesity. Geneva: WHO Document Production Services; 2016 [cited 2017 Dec 27]. Available from: http://apps.who.int/iris/bitstream/10665/ 204176/1/9789241510066_eng.pdf.
- 13. Nelson SA, Corbin MA, Nickols-Richardson SM. A call for culinary skills education in childhood obesity-prevention interventions: current status and peer influences. J Acad Nutr Diet. 2013 Aug;113(8):1031-1036. PMID: 23885701. doi: 10.1016/j.jand.2013.05.002.
- 14. Lichtenstein AH, Ludwig DS. Bring back home economics education. JAMA. 2010 May;303(18):1857-8. PMID: 20460625. doi: 10.1001/jama. 2010 592
- 15. New Brunswick Medical Society. Top 3 in 10: taking back New Brunswick's Health; 2017 [cited 2017 Dec 27]. Available from: https:// www.nbms.nb.ca/assets/Healthier-Lives/Top-3-in-10/NBMS-Final-Report-English.pdf.
- 16. Worsley A, Wang WC, Yeatman H, Wijayaratne P. Does school health and home economics education influence adults' food knowledge? Health Promot Int. 2016 Dec;31(4):925-35. PMID: 26289322. doi: 10.1093/ heapro/dav078.
- 17. Slater JJ, Mudryj AN. Self-perceived eating habits and food skills of Canadians. J Nutr Educ Behav. 2016;48:486-495.e1. PMID: 27373863. doi: 10.1016/j.jneb.2016.04.397.
- 18. Office of Institutional Planning and Budgeting 2014-15-Western University. Full-time constituent enrollment by faculty and gender; 2015 [cited 2017 Dec 27]. Available from: https://www.ipb.uwo.ca/facts.php.